

Appln. No. 10/817,654
Amendment dated July 22, 2005
Reply to Office Action mailed April 22, 2005

This listing of claims will replace all prior versions, and listings,
of claims in the application:

Listing of Claims (deleted text being struck through and added text
being underlined):

1 1. (Original) A method of providing data from a server to a
2 client, comprising:
3 determining a configuration of the client for presenting data;
4 filtering the data to parse the data into meaningfully presentable
5 data and non-meaningfully presentable data based upon the client
6 configuration; and
7 transmitting the meaningfully presentable data from the server to
8 the client.

1 2. (Original) The method of claim 1, wherein the step of
2 determining the client capability for presenting data includes
3 monitoring availability of resources on the client.

1 3. (Original) The method of claim 2, wherein the step of
2 determining the client capability for presenting data includes
3 changing client configuration properties to reflect the availability
4 of resources on the client.

1 4. (Original) The method of claim 1, wherein the step of
2 determining the client capability for presenting data includes
3 monitoring tasks executing on the client.

1 5. (Original) The method of claim 4, wherein the step of
2 determining the client capability for presenting data includes
3 changing client configuration properties to reflect tasks executing
4 on the client.

Appln. No. 10/817,654
Amendment dated July 22, 2005
Reply to Office Action mailed April 22, 2005

1 6. (Original) The method of claim 1, wherein the step of
2 determining the client capability for presenting data is set by the
3 client.

1 7. (Original) The method of claim 1, wherein the step of
2 determining the client capability for presenting data is set by the
3 user of the client.

1 8. (Original) The method of claim 1, wherein the client
2 configuration causes certain data to be parsed into non-meaningful data
3 even though the client has the capability to present the certain data.

1 9. (Original) The method of claim 1, further comprising storing
2 the non-meaningfully presentable data on the server.

1 10. (Original) A method of providing data from a server to a
2 client, comprising:
3 determining a configuration of the client for presenting data;
4 transmitting the data from the server to the client;
5 filtering the data to parse the data into meaningfully presentable
6 data and non-meaningfully presentable data on the client based upon
7 the client configuration; and
8 processing the meaningfully presentable data on the client.

1 11. (Original) The method of claim 10 wherein the filtering of
2 data to parse the data occurs after receipt of a complete data stream by
3 the client from the server.

1 12. (Original) The method of claim 10, further comprising
2 storing the non-meaningfully presentable data on the client.

Appln. No. 10/817,654
Amendment dated July 22, 2005
Reply to Office Action mailed April 22, 2005

1 13. (Currently Amended) The method of claim 10, further
2 comprising transferring the non-meaningfully presentable data from
3 the client to other devices for presentation.

1 14. (Currently Amended) The method of claim 13, wherein
2 the step of transferring the non-meaningfully presentable data
3 includes storing the non-meaningfully presentable data on the client
4 prior to transfer of the data.

1 15. (Original) The method of claim 10, wherein the client
2 configuration is alterable to provide varying degrees of user-
3 determined capability for presenting data.

1 16. (Original) The method of claim 10, further comprising
2 deleting the non-meaningfully presentable data from the client.

1 17. (Original) The method of claim 10, further comprising
2 ignoring the non-meaningfully presentable data on the client.

1 18. (Original) The method of claim 10, wherein the client may
2 be configured to predetermine whether certain data will be parsed into
3 non-meaningful data.

1 19. (Original) The method of claim 10, wherein the client is
2 capable of providing a user with an option for setting the client
3 configuration such that certain data will be parsed into non-meaningful
4 data even though the client has the capability to present the certain
5 data.